Telephone: (02421) 31850

31038 30828 31138 31489

31861 FAX: (070) 22668

REF:

HOSPITAL MANAGEMENT BOARD

CHITUNGWIZA CENTRAL

HOSPITAL

P.O. BOX CZA 245

ZENGEZA

CHITUNGWIZA ZIMBABWE



All correspondences to be addressed to the Chief Medical Officer

09 July 2024

ALL BIDDERS

COMPETITIVE TENDER: CHIT/ LAB PLACEMENT 18/2024: CHITUNGWIZA CENTRAL HOSPITAL

After deliberating and considering the recommendations relating to the above Competitive Tender, Chitungwiza Central Hospital has in terms of the Public Procurement and Disposal of Public Assets Act [Chapter 22:23] section 50 as read with the Public Procurement and Disposal of Public Assets (General) Regulations Statutory Instrument 5 of 2018 section 30, awarded the Supply and delivery of hospital Linen competitive bid as follows:

	EQUIPMENT	Quantity	Company Awarded
1		1	Urea Breath Testing Centre Private Limited
	Haematology Analyser	1	Medirite Healthcare
		1	Safecraft Enterprises Private Limited
2	Chemistry Analyser	1	Urea Breath Testing Centre Private Limited Medirite Healthcare
3	Immuno Chemistry Analyser	1	Urea Breath Testing Centre Private Limited
4	Stand Alone ISE Analyser	1	Safecraft Enterprises Private Limited

Accordingly in terms of the we are pleased to advise that your bid relating to the above was successful.

However in terms of the Public Procurement and Disposal of Public Assets Act [Chapter 22:23] section 55 (2a) as read with the Public Procurement and Disposal of Public Assets (General) Regulations Statutory

Instrument 5 of 2018 section 33(2), other tenderers aggricved by this decision have right to appeal against the award by lodging a written notice with the Chief Medical Officer of Chitungwiza Central Hospital and Chief Executive Officer of Procurement Regulatory Authority of Zimbabwe (PRAZ) within fourteen (14) days from the notification date.

After the fourteen (14) day period if there is no challenge, you can proceed and enter into the necessary formal procuring contract with Chitungwiza Central Hospital

Regards

CHITUNGWIZA CENTRAL HOSPITAL DEPUTY DIRECTOR PROCUREMENT

0 9 JUL 2024

Mr T D Murire P.O. BOX CZA 245, CHITUNGWIZA

Head, Procurement Management Unit

FOR THE CHIEF MEDICAL OFFICER, CHITUNGWIZA CENTRAL HOSPITAL



PROCUREMENT EVALUATION COMMITTEE MEETING FOR: CHIT/LAB PLACEMENT 18/2024 HELD ON THE 10^{TH} OF JUNE 2024

PRESENT

	NAME	DESIGNATION
	MR E. Mudenda	The Chairperson-Director Operations
	Mrs. A. Nehowa	Chief Laboratory Scientist
	Mr. N. Matiya	A/Finance Director
	Mr. Makona	Hospital Equipment Maintenance Technician
	Mr. Nota	X-Ray Operator
g.	Mrs. D. Chairuka	Principal Nurse Officer
dica water	Mr. M. Matinenga	The Secretary
In attendance		
	Mr. P. Madzimure	PMU Advisor
	Mr Taderera	Laboratory Scientist

1.0	OPENING REMARKS AND PRAYER					
2	The chairperson called the meeting to order.					
1	The meeting was on evaluation of tender for supply and delivery of Laboratory number: CHIT/LAB PLACEMENT 18/2024	Equipment - tender				
2.0	2.0 DECLARATION OF INTEREST BY ALL MEMBERS					
	All members indicated that they had no interest in the 3 companies who submitt tender number CHIT/LAB PLACEMENT 18/2024.	ed bids in response to				
2.1	SUMMARY OF THE BID					
1	Tender number: CHIT/LAB PLACEMENT 18/2024	MENT				
Tender description: SUPPLY AND DELIVERY OF LABORATORY EQUIPMENT						
	Three companies listed below submitted bid documents:					
	i. Medirite	- Bidder 1				
	ii. UBC Healthcare	- Bidder 2				
	iii. Safecraft	- Bidder 3				

	BID EVALUATION			
	Medirite - Bidder 1 Bidders Name Medirite		UBC Healthcare - Bidder 2	
3.1			Bidders Name UBC Healthcare	
	CR 14	-Submitted	CR 14	-Submitted
	CR 6	-Submitted	CR 6	-Submitted
	CR 5	-Not Submitted	CR 5	-Not Submitted
	Certification of Incorporation	-Submitted	Certification of Incorporation	-Submitted
	Valid tax clearance	-Submitted	Valid tax clearance	-Submitted
	Bid Submission Sheet	-Submitted	Bid Submission Sheet	-Submitted
	Company profile	-Submitted	Company profile	-Submitted
	PRAZ Certificate	-Submitted	PRAZ Certificate	-Submitted
	Trade Reference	-Submitted	Trade Reference	-Submitted

MINUTES OF THE EVALUATION COMMITTEE MEETING FOR LAB PLACEMENT, CHIT/LAB PLACEMENT 18/2024

Safecraft - Bidd	der 3		
Bidders Name - Safecraft			
CR 14	-Submitted		
CR 6	-Submitted		
CR 5	-Not Submitte		
Certification of Incorporation	-Submitted		
Valid tax clearance	-Submitted		
Bid Submission Sheet	-Submitted		
Company profile	-Submitted		
PRAZ Certificate	-Submitted		
Trade Reference	submitted		
RECOMMENDATIONS			
The committee recommended that all the three bidders were meeting credibility criterion			
specification since all the required documentations were submitted			
• The committee recommended that 3 bidders proceed to the next round of technical EVALAUTION.			
 The meeting was adjourned and Laboratory was asked to do the technical evaluation and the report is attached on these minutes. 			
 A follow up meeting took place on the 24th of June 2024 			
• The committee recommended that all the three bidders (Bidder 1-UBC, Bidder 2- Safecra and Bidder 3Medrite) should place their haematology at the laboratory since they were			
meeting the required specifications.			
 The committee recommended that Bidder 3 Safecraft should place the stand-Alone ISE Analyser since the cost of buying is relatively higher than when using placement. 			
The committee recommended that Bidder 1- UBC and Bidder 2-Medrite should place the			
chemistry analyzer at the laboratory.			
 The committee also recommended that Bidder 1 UBC should place their immune chemis analyzer at the laboratory. 			

MINUTES OF THE EVALUATION COMMITTEE MEETING FOR LAB PLACEMENT, CHIT/LAB PLACEMENT 18/2024

COMMENTS

1. Chairperson: Mr. E D Mundenda – Director of Operations	
Signature: Date: 28/6/24	
Signature: Date: 28/6/219	
2. Mrs. A Nehohwa: Chief Laboratory Scientist The bringles are a true replection of what transpired Signature: A Nellolma Date: 25/06/24	
Signature: A: Nelohia Date: 25/06/24	
3. Mr. N Matiya: A/Finance Director	>
Signature: Date: 24	•
4. Mrs. D. Chairuka: Principal Nurse Officer A true record of what truspined	
Signature: Delauka Date: 28/6/2024	
5. Mr S Nota: X-Ray Operator	
5. Mr S Nota: X-Ray Operator the muntes are a tre reflective of what transported	
Signature: Date: 28-6-24	
6. Mr F Makona: Hospital Equipment Maintenance Technician A true restation of the proceedings.	
Signature: Date: 28/06/24	

MINUTES OF THE EVALUATION COMMITTEE MEETING FOR LAB PLACEMENT, CHIT/LAB PLACEMENT 18/2024